

Material Safety Data Sheet
Accusorb MRI[®] Series Medical Devices

GENERAL INFORMATION

Product Name: Accusorb MRI[®] Series Medical devices
Product Description: MRI Image Enhancement device – Urethane Outer Cover
Manufacturer: MWT Materials, Inc.
90 Dayton Ave
Building 10, Suite 3I
Passaic, NJ
Emergency Phone Number: +1 845-369-7808
Date Prepared: April 18, 1999
Date Revised: October 6, 2015

SECTION 1 – PRODUCT IDENTIFICATION

Accusorb MRI[®] Series Medical devices – Urethane outer cover

Hazardous Ingredients

none

SECTION 2 – PHYSICAL / CHEMICAL CHARACTERISTICS

Appearance and Colors: Black & Green flexible covers
Specific Gravity: NA
Solubility in Water: NA

SECTION 3 – FIRE AND EXPLOSION HAZARD DATA

Flash Point: NA Does not support flame
Lower Explosive Limit: NA
Upper Explosive Limit: NA
Extinguishing Media: Media suitable for surrounding fire (Water, CO₂, Foam, etc.)
Unusual Fire and Explosion hazards: In a sustained fire, combustible decomposition products may be released

SECTION 4 – REACTIVITY DATA

Stability:	Yes
Conditions to Avoid:	None
Materials to Avoid:	None
Hazardous Decomposition Products:	Carbon Dioxide, Carbon Monoxide, and low molecular weight hydrocarbon gas may be released.
Polymerization:	None

SECTION 5 – HEALTH HAZARD DATA

LD50-LC-50:	None		
Routes of Entry:	Inhalation – NO	Skin – No	Ingestion – No
Health Hazards:	Acute and Chronic		
Inhalation	None		
Skin	None		
Carcinogenicity:	None per NTP, IARC, and OSHA		
Signs/Symptoms of overexposure:	None		

SECTION 6 – PRECAUTIONARY MEASURES FOR SAFE HANDLING AND USE

Neutralizing Agent:	NA
Precautions for Handling	Store in dry area

SECTION 7 – EMERGENCY AND FIRST AID PROCEDURES

Emergency First Aid	None Required
---------------------	---------------

SECTION 8 – OCCUPATIONAL EXPOSURE CONTROL

None

SECTION 9 – SPILL, LEAK AND DISPOSAL INFORMATION

Disposal:	Dispose of in accordance with Local, State, and Federal Laws. Do not incinerate.
-----------	--

SECTION 10 – CORPORATE NOTICE

MWT Materials, Inc. warrants that this information is accurate to the best of its knowledge. No guarantee of accuracy is made.
--